

L Number	Hits	Search Text	DB	Time stamp
1	2	" 6,282,590 B1 "	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:56
-	6	( task with controll\$3 ) same ( alert with interrupt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 11:40
-	8	( shell near2 command) same interrupt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:36
-	59	( scheduler\$3 same task\$3 same interrupt\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:37
-	4	( scheduler\$3 same task\$3 same interrupt\$3).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:43
-	2181	((indicat\$3 with display\$3) same (select\$3 with device\$1)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 11:48
-	25	((indicat\$3 with display\$3) same (select\$3 with device\$1) same server).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 11:52
-	325	( password with client with server).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 11:54
-	35	( password with client with server same display\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 12:02
-	128	( password with client with server same authentica\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 12:02
-	94	( password with client with server with authentica\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 12:02
-	12	( password with client with server with authentica\$3 & display\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 12:13
-	4	( retriev\$3 with password with client with server with authentica\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 16:14
-	16	( retriev\$3 with password with client with server with authentica\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 16:07

-	16	(retriev\$3 with password with client with server with authenticat\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:14
-	94	( password with client with server with authenticat\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:16
-	2	( password with client with server with authenticat\$3 with match\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:18
-	4	( password with client with server with authenticat\$3 same match\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:29
-	11	( password with client with server with match\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:43
-	3	( password with client with server with re).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:39
-	0	( password with client with server with ( re near2 dispatch\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:38
-	0	( password with client with server same ( re near2 dispatch\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:38
-	0	( id with client with server same ( re near2 dispatch\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:38
-	110	( password with client with server & authentication).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:39
-	1	( password with client with server & forgot).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:40
-	2	( password with client with server & miss\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:47
-	111083	( password with client with server reset\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:41
-	2	( password with client with server same reset\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:42

-	2	( password with client with server & reset\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:42
-	18	( password with client with server same match\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 17:07
-	4	( password with client with server with (miss\$3 or forgot) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:48
-	9	( password with client with server same (miss\$3 or forgot) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:48
-	3	( miss\$3 with password with client with server )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 16:49
-	37	( id with client with server same match\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 17:07
-	0	( id with client with server with match\$3 & forgot ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 17:08
-	22	( id with client with server with match\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 17:08
-	4	( id with client with server with match\$3 & display\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 17:13
-	6	( id with client with server same match\$3 & display\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 17:13
-	35	( password with client with server same display\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:40
-	1	( password with client with server same display\$3 & miss\$6 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 17:18
-	0	( password with client with server same display\$3 & forget ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 17:18
-	0	( password with client with server same display\$3 & forgot ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 17:18

-	0	( password same client same server same display\$3 & forgot).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 17:18
-	0	( id same client same server same display\$3 & forgot).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/14 17:19
-	0	( print\$3 with display\$3 with error same select\$3 & job\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:42
-	1	( print\$3 with display\$3 with error same select\$3 & server).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:42
-	0	( ( print\$3 with display\$3 with error same select\$3).ab.) & server & client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:43
-	194	( device\$1 with display\$3 with error same select\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:43
-	0	( ( device\$1 with display\$3 with error same select\$3).ab.) & server & client & print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:43
-	0	( ( device\$1 with display\$3 with error same select\$3).ab.) & server & client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:43
-	59	( print\$3 with display\$3 with error same select\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:45
-	32	( print\$3 with display\$3 with error with select\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:47
-	120	( print\$3 with display\$3 with select\$3 same server ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:47
-	1	( print\$3 with display\$3 with select\$3 same server same error\$1 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:47
-	3	( print\$3 with display\$3 with select\$3 same server & error\$1 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:48
-	2	( print\$3 with select\$3 same server & (error\$1 with display\$3) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:49

-	2	( device\$3 with select\$3 same server & (error\$1 with display\$3) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:50
-	16	( device\$3 with select\$3 with server same (error\$1 with display\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:58
-	7	( printer\$1 with select\$3 with server same (error\$1 with display\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 10:28
-	12	( printer\$1 with select\$3 same server same (error\$1 with display\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 10:27
-	146	( printer\$1 with select\$3 same (error\$1 with display\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 10:27
-	0	( printer\$1 with select\$3 with server same (suitalbe with display\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 10:28
-	51	( printer\$1 with select\$3 with server same display\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 10:28
-	0	( printer\$1 with select\$3 with server same display\$3 same indicat\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 10:29
-	12	( printer\$1 with select\$3 with server same indicat\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 13:57
-	13	( printer\$1 with select\$3 same (indicat\$3 with error)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 10:01
-	56	" 5,727,135 "	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 15:56
-	9	( criterion with select\$3 with printer).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 12:12
-	9	( criterion with select\$3 with printer\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 12:12
-	1	EP near2 "772" near2 "114"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 14:08

-	2	"0 772 114"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 14:09
---	---	-------------	---	------------------